



# TEXTILE

## WASHING-MACHINE RESISTANT GLUE FOR TEXTILES



### PRODUCT DESCRIPTION

Glue for textile.

### FIELD OF APPLICATION

Glues textile, jute, felt and coir. Suitable for hemming corduroy and denim trousers and jeans, repairing holes and tears in clothing and furnishing materials (e.g. jacks, trousers, tents, deck chairs and windbreaks), applying felt appliqués, edging runners, mats and carpets and fastening textile to wood, blockboard, chipboard, hardboard and softboard. Not suitable for light-coloured PVC with textile back (e.g. white imitation leather, Vistram®, Suwide®).

### PROPERTIES

- Resistant to washing, dry-cleaning and ironing
- High, immediate adhesiveness
- Elastic glue joint
- Solvent free

### PREPARATION

**Working conditions:** Not to be applied at temperatures below +10°C.

**Surface requirements:** Materials to be glued should be clean and dry.

### APPLICATION

#### Directions for use:

Apply glue thinly and evenly to both sides. Let rest for a moment and then join parts. Tap well. No clamping or pressing necessary. Some paints and textile paints may contain substances accelerating the aging process of the glue, which will become sticky as a result. Avoid exposure to sunlight of glued materials. Prevent glue from penetrating thin materials by applying it very thinly and evenly.

**Stains/residue:** It is difficult to remove glue stains. Remove fresh stains immediately and only with water. Dissolve dry stains in Bison Thinner and wipe clean.

### CURE TIMES\*

**Drying/Curing time:** approx. 24 hours. This might vary, based on circumstances, like temperature and humidity.

**Final bonding strength after:** approx. 24 hours

\* Curing time may vary depending on a.o. surface, product quantity used, humidity level and ambient temperature.

### TECHNICAL PROPERTIES

**Water resistance:** Very good

**Temperature resistance:** +90°C

**Chemicals resistance:** Detergent-resistant

### TECHNICAL SPECIFICATIONS

**Chemical base:** Natural rubber latex

**Bonding technique:** 1-sided application

**Consistency:** Cream-like

**Viscosity:** approx. Liquid

**Solvent:** Water

**Solid matter:** approx. 60 %

**pH-value:** approx. 10

### STORAGE CONDITIONS

At least 24 months after date of manufacture. Limited shelf life after opening.

Store in a dry, cool and frost free place.