



SUPER SILICONE CASA DE BANHO

SILICONE SEALANT WITH LONG-LASTING COLOUR PROTECTION



DESCRIPTION DU PRODUIT

Permanently elastic, water resistant silicone sealant on an acetic acid base with long-lasting colour protection. For sanitary sealings. Resistant to mould. 100% colourfast. Loadable with water after 2 hours.

DOMAINE D'APPLICATION

Suitable for sealing seams, joints and gaps between tile walls, bath tubs, shower basins, bathroom sinks and kitchen counters in sanitary areas like bathrooms, toilets and kitchens. Specifically for sealings in sanitary and ceramic applications, such as joints between wall and floor tiles, bath, shower cubicle, bathroom sink, kitchen counter, sink and tile walls. Also ideal for acrylic bathtubs, plastic shower bases and shower walls. Adheres to clear glass, ceramics, glazed tiles, enamel, metal, wood and various synthetics. Does not bond to bitumen, polyethylene, polypropylene and PTFE. Not suitable for aquariums, for this we recommend BISON Silicone sealant Glass Transparent.

Not suitable for bitumen, polyethylene (PE), polypropylene (PP), PTFE and aquaria.

PRÉPARATION

Conditions de mise en œuvre: Only apply at temperatures between +5°C and +40°C.

Exigences des surfaces: The surface must be dry, clean and free of dust, rust and grease.

Pré-traitement des surfaces: For a good result, cover the joint's edges with masking tape. If necessary, prevent three-sided bonding by filling the joint with a foam backer rod or PE film.

Outillage: Apply cartridge with BISON Click Gun. Multi Tool to open the cartridge and tooling the sealant.

MISE EN OEUVRE

Garantie: Content suitable for approx. 8 to 15 m (depending on the diameter of the joint).

Mode d'emploi:

Cut the nozzle halfway down at an angle (6 mm Ø).

Apply sealant and smooth it with an acid-free soap solution within 5-10 minutes (use a wet finger or sealant smoother, for example). Skin forming after approx. 10 min. Curing 4 mm in 24 hours.

Taches/résidus: Immediately remove stains with white spirit. Cured sealant can be removed mechanically or with BISON silicone sealant residue remover.

Points d'attention: Silicone hardens under the influence of humidity. Contact with humidity is therefore absolutely necessary during curing. The sealant seam is loadable with water after 2 hours; however, do not touch or load mechanically.

SPÉCIFICATIONS TECHNIQUES

Elasticité E-modulus:	0.3 MPa
Matière première de base:	Élastomère de silicone
Résistance chimique:	Très bon(ne)
Niveau de séchage:	2 mm/24h
Densité env.:	1.04 g/cm ³
Elasticité:	Très bon(ne)
Allongement à la rupture:	650 %
Pouvoir de rebouchage:	Très bon(ne)
Point d'éclair:	K3 (>55°C)
Dureté (Shore A):	25
Déformation maximale autorisée:	20 %
Résistance minimale à la température:	-50 °C
Résistance maximale à la température:	180 °C
Résistance aux moisissures:	Très bon(ne)
Résistance à l'humidité:	Très bon(ne)
Recouvrement:	Néant(e)
Temps de séchage au toucher:	10 minutes
Résistance aux rayons UV:	Très bon(ne)
Viscosité:	Pâteuse
Résistance à l'eau:	Très bon(ne)

Nos conseils sont basés sur des recherches étendues et des expériences pratiques. En raison de la grande diversité de matériaux et/ou de conditions d'utilisation de nos produits, nous ne pouvons accepter aucune responsabilité pour les résultats obtenus et/ou pour des dommages éventuels qui résulteraient de l'usage du produit. Nous sommes cependant à votre entière disposition pour vous offrir des conseils.



SUPER SILICONE CASA DE BANHO

SILICONE SEALANT WITH LONG-LASTING COLOUR PROTECTION

CONDITIONS DE STOCKAGE

Au moins 24 mois après production

Conservation limitée après ouverture.

Store in properly sealed packaging in a dry place at between +5°C and +25°C.

Nos conseils sont basés sur des recherches étendues et des expériences pratiques. En raison de la grande diversité de matériaux et/ou de conditions d'utilisation de nos produits, nous ne pouvons accepter aucune responsabilité pour les résultats obtenus et/ou pour des dommages éventuels qui résulteraient de l'usage du produit. Nous sommes cependant à votre entière disposition pour vous offrir des conseils.